Page 1 of 2

EXECUTIVE SUMMARY - ENFORCEMENT MATTER

DOCKET NO.: 2009-0148-PWS-E	TCEQ ID: RN105060211	CASE NO.: 3/104
RESPONDENT NAME: KARA LEA	AH PETTY DBA COUNTR	Y INN VICTORIA

ORDER TYPE:		
_1660 AGREED ORDER	FINDINGS AGREED ORDER	FINDINGS ORDER FOLLOWING SOAH HEARING
X_FINDINGS DEFAULT ORDER	_SHUTDOWN ORDER	IMMINENT AND SUBSTANTIAL ENDANGERMENT ORDER
_AMENDED ORDER	EMERGENCY ORDER	
CASE TYPE:		
AIR	MULTI-MEDIA (check all that apply)	INDUSTRIAL HAZARDOUS WASTE
X PUBLIC WATER SUPPLY	PETROLEUM STORAGE TANKS	OCCUPATIONAL CERTIFICATION
WATER QUALITY	SEWAGE SLUDGE	UNDERGROUND INJECTION CONTROL
MUNICIPAL SOLID WASTE	RADIOACTIVE WASTE	DRY CLEANER REGISTRATION
TYPE OF OPERATION: Public water support of the supp	Го	onal pending enforcement actions regarding this terest in this matter. No comments were received. 122-8914 9 1ection, MC 169, (512) 239-5610 1 MC R-14, (361) 825-3111
	•	

RESPONDENT NAME: KARA LEAH PETTY DBA COUNTRY INN VICTORIA DOCKET NO.: 2009-0148-PWS-E

VIOLATION SUMMARY CHART:		CORRECTIVE ACTIONS
VIOLATION INFORMATION	PENALTY CONSIDERATIONS	TAKEN/REQUIRED
Type of Investigation:	Total Assessed: \$850	Corrective Actions Taken:
Complaint X Routine Enforcement Follow-up Records Review	Total Deferred: \$0 Expedited Order Financial Inability to Pay SEP Conditional Offset	The Executive Director recognizes that the Respondent provided written notification of the Facility's startup during the investigation on November 18, 2008.
Date of Complaint Relating to this Case: N/A	Total Due to General Revenue: \$850	Ordering Provisions:
Date of Investigation Relating to this Case: November 18, 2008	This is a Default Order. The Respondent has not actually paid any of the assessed penalty but will be required to do so under the terms of this Order.	The Respondent shall undertake the following technical requirements: 1. Within 30 days, install disinfection equipment
Date of NOE Relating to this Case: December 19, 2008	Site Compliance History Classification N/A	so that continuous and effective disinfection and microbiological control is provided at the Facility under all conditions.
Background Facts: The EDPRP was filed May 21, 2009, and mailed to the Respondent via certified mail, return receipt requested, and via first class mail, postage prepaid. According to the return receipt	Person Compliance History Classification N/A Major Source: Yes _X_ No	Within 45 days, submit written certification demonstrating compliance.
"green card," the Respondent received notice of the EDPRP on May 22, 2009, as evidenced by the signature on the card. The Respondent failed to answer the EDPRP, failed to request a hearing, and failed to schedule a settlement conference.	Applicable Penalty Policy: September 2002	
Current Compliance Status: The Respondent corrected violation no. 2. The Respondent has not submitted documentation certifying compliance with violation no. 1.		
PWS: 1. Failed to provide disinfection facilities for groundwater supplies for the purpose of microbiological control and distribution protection [30 Tex. ADMIN. CODE § 290.42(b)(1)].		
2. Failed to provide written notification to the Commission of the startup of a new public water supply system [30 Tex. ADMIN. CODE § 290.39(m)].		

Policy Revision 2 (Septe		nalty Cal	culation	n Work	sheet (P	•	evision October 30, 2008
TCEQ							,
DATES Assigned	5-Jan-2009 23-Apr-2009	Screening 2	9-Jan-2009	EPA Due]	
RESPONDENT/FACILITY I							
Respondent E	ara Leah Petty	dba Country In	n Victoria		-		-
Reg. Ent. Ref. No. F		45		Major	/Minor Source	Minor	
Facility/Site Region 1	4-Corpus Criris	<u>u </u>		Wiajoi	/Willion Source	INITIO	
CASE INFORMATION					20060000 H.S		
Enf./Case ID No. 3				No	o. of Violations		
	009-0148-PWS				Order Type	***************************************	
Media Program(s)	ublic Water Su	oply			ent/Non-Profit	Christopher Kefl	or
Multi-Media				E11		Enforcement Te	
Admin. Penalty \$ Li	mit Minimum	\$50 Ma	ximum	\$1,000]		
							MATERIAL III
•		Penalty	Calcula	tion Sed	ction		4.
TOTAL BASE PENALT	Y (Sum of v	iolation bas	e penaltie:	s).		Subtotal 1	\$850
			n in the first of	ng kalingga kangsi kangsi ng kalingga kangsi kangsi			
ADJUSTMENTS (+/-) T Subtotals 2-7 are obtained	O SUBTOTA	\L1	. (Culstate) (1) but	the Indicated as			
Compliance Histor		Total base Pellally		Enhancement	sicemage. Subt	otals 2, 3, & 7	\$0
	Tiga proka ayar maran	garanga sa ang mangan mangan masa sa Tanggarangan sa ang mangan	74.7. TE CAGO 70 .	Linanomone	** *** *** *** *** *** *** *** *** ***	1	
Notes	No ch	ange due to no	previous cor	mpliance his	tory.		
L		Not Burney	<u></u>		*]	
Culpability N	lo		0.0%	Enhancement		Subtotal 4	\$0
							- 10
Notes	The Re	spondent does	not meet the	culpability c	riteria.		
L		<u>itti kitliin .</u>			<u> </u>	1	
Good Faith Effort	o Comply Tota	ıl Adiustments		ATENIA PERIO		Subtotal 5	\$0
			Andreas in A. Roman Abreita				
	gan park, no certarrango e destrutas.	·		ar algo to a stomer energy deco	um ammeria eritima suusuas, es	12 No. 1 THE SECTION OF SECTION 1	
Economic Benefit				Enhancement*		Subtotal 6	\$0
	otal EB Amounts ost of Compliance	\$16 \$385	"Capped a	at the Total EB	\$ Amount		
	,			THE SAME WILL DESCRIPTION OF THE SAME WILL DE			
SUM OF SUBTOTALS	1-7					inal Subtotal	\$850
Tappy Control					Tala menya mpanya saba	2 42 1 2000 2000 2000 1 21 2000	
OTHER FACTORS AS	THE DAY OF THE PARTY OF THE PARTY.	The state of the state of the	Edina J	0.0%		Adjustment	. \$0
Reduces or enhances the Final Sub	total by the indicate	d percentage.	,			1	
Notes							
Notes	to the party of		•				
_		•			Final Pe	nalty Amount	\$850
STATUTORY LIMIT AD	JUSTMENT				Final Asse	essed Penalty	\$850
	nes en la mesara en esta en el es		va i kanzakisi sa F		T Condition of Large	an as as a second	
DEFERRAL		ائن - باز از بازگاهی دود. این در فرورد استام برفیست		0.0%	 The state of the s	Adjustment	\$0
Reduces the Final Assessed Penal	y by the indicted pe	rcentage. (Enter n	umber only; e.g.	20 for 20% rea	iuction.)	7	
Notes	Defer	ral not offered	for non-expec	lited settlem	ient.		
INOTES	56161	, ar not onered	ioi iioii-oxpec				
<u> </u>						1	

PAYABLE PENALTY

\$850

Screening Date 29-Jan-2009

Docket No. 2009-0148-PWS-E

PCW

Respondent Kara Leah Petty dba Country Inn Victoria

Case ID No. 37104

Reg. Ent. Reference No. RN105660211

Media [Statute] Public Water Supply

Enf. Coordinator Christopher Keffer

Policy Revision 2 (September 2002)
PCW Revision October 30, 2008

Component	Number of En	ter Number Here	Adjust
NOVs	Written NOVs with same or similar violations as those in the current enforcement action (number of NOVs meeting criteria)	0	0%
	Other written NOVs	0	0%
	Any agreed final enforcement orders containing a denial of liability (number of orders meeting criteria)	0	0%
Orders	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%
Judgments	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (number of judgements or consent decrees meeting criteria)	0	0%
and Consent Decrees	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%
Convictions	Any criminal convictions of this state or the federal government (number of counts)	0	0%
Emissions	Chronic excessive emissions events (number of events)	0	0%
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which notices were submitted)	0	0%
Addits	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which violations were disclosed)	0	0%
	Please	Enter Yes or No	
	Environmental management systems in place for one year or more	No	0%
Other	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%
Outer	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%
	Adjustment Pe	rcentage (Su	ıbtotal :
t Violator (Su	btotal 3)		
N//	Adjustment Per	rcentage (Su	btotal
iance Histor	Person Classification (Subtotal-7)		Deficients recited in the
N//		rcentage (Su	btotal 7
lance Histor	y Summary		
Compliance History	No change due to no previous compliance history.		

Total Adjustment Percentage (Subtotals 2, 3, & 7)

Screening Date 29-Jan-2009 Docket No. 2009-0148-PWS-E	SEP CW II
Respondent Kara Leah Petty dba Country Inn Victoria	Policy Revision 2 (September 2002)
Case ID No. 37104	PCW Revision October 30, 2008
Reg. Ent. Reference No. RN105660211	
Media [Statute] Public Water Supply	
Enf. Coordinator Christopher Keffer	
Violation Number 1	
Rule Cite(s) 30 Tex. Admin. Code § 290.42(b)(1)	
Failed to provide disinfection facilities for groundwater supplies for the purpose	
Violation Description microbiological control and distribution protection. Specifically, at the time of the investigation it was documented that there was no disinfection equipment provided	
well.	
Dec. 1	01.000
pase r	Penalty \$1,000
>> Environmental, Property and Human Health Matrix	
Harm	
Release Major Moderate Minor OR Actual	
Potential x Percent 25%	
) (total)	
>>Programmatic Matrix	1.9
. Falsification Major Moderate Minor	
Percent 0%	:
Matrix Failure to provide disinfection equipment could expose the public to a significant amount of contam	ninants
Notes which would exceed levels that are protective of human health and the environment.	
Adjustment	\$750
weighted the segment and a segment and a segment of the segment of	0.50
	\$250
Violation Events	
ACCUMANCE AND AC	'
Number of Violation Events 3 Number of violation days	
Cally	,
weekly	
monthly	
mark only one with an x Violation Base P	Penalty \$750
semiannual	
single event	
BITALE CANCELL	
Three monthly events are recommended based on the date of the investigation, November 18, 20	08 to
the date of screening, January 29, 2009.	
Good Faith Efforts to Comply 0.0% Reduction.	\$0
Before NOV NOV to EDPRP/Settlement Offer	200 (10 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1
Extraordinary	
Ordinary	
N/A x (mark with x)	
The Respondent does not meet the good faith criteria for this	
Notes violation.	
Violation St	ubtotal \$750
Economic Benefit (EB) for this violation Statutory Limit Test	
Estimated EB Amount \$16 Violation Final Penalty	y Total \$750
This violation Final Assessed Penalty (adjusted for	limits) \$750

	The same of the sa	conomic l	ALCO COLOTAGE A TO	orks	heet		
		y dba Country Inn V	/ictoria				
Case ID No.	.:37104						
Reg. Ent. Reference No.	RN105660211						
그는 병원 이 경험 전투 다른 그들이는 경우를 살아보다 하는 생생님이다.	Public Water S	vlaau					Years of
Violation No.	/*	~~~,)				Percent Interest	Depreciation
	Highert Grand			rutio,	one of the second secon	5.0	15
	Item Cost	Data Daminal	Final Date	Yrs	Interest Saved	Onetime Costs	EB Amount
[18] 시작 교교 도착 (연구) 공고 등의 보고	그는 사람들이 되기되었다.	Date Required	Final Date	118	interest Saveu	Offetime Costs	EB Allibuilt
Item Description	No commas or \$	444.445 × 124.			Safa vii dei		
Delayed Costs				45.7			
Equipment	\$335	18-Nov-2008	1-Aug-2009	0.70	\$1	\$16	\$16
Buildings			1 1 1	0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/construction				0.00	\$0	\$0	\$0
Land	100			0.00	\$0	n/a Walli	\$0
Record Keeping System				0.00	\$0:	ts in/autoria	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	in/as-rese	\$0
Permit Costs				0.00	\$0	n/a	\$0
Permit Costs Other (as needed)				0.00	\$0	in/a	\$0
Other (as needed) Notes for DELAYED costs		į in \	estigation, to the	0.00 install d estimate	\$0 lisinfection equipmed date of complian	nent, calculated from	\$0 the date of the
Other (as needed) Notes for DELAYED costs Avoided Costs		į in \	estigation, to the	0.00 install d estimate	\$0 isinfection equipmed date of compliantition (except for a	nent, calculated from	\$0 the date of the
Other (as needed) Notes for DELAYED costs Avoided Costs Disposal		į in \	estigation, to the	install d estimate intering	\$0 isinfection equipmed date of complianitem (except for \$0	nent, calculated from nce. one-time avoided c	\$0 the date of the osts)
Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel		į in \	estigation, to the	install d estimate entering 0.00 0.00	\$0 isinfection equipmed date of complian item (except for \$0 \$0	nent, calculated from nee.	\$0 the date of the osts) \$0 \$0
Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling		į in \	estigation, to the	install destimate	\$0 isinfection equipmed date of complian item (except for a \$0 \$0 \$0	nent, calculated from nice. one-time avoided c \$0 \$0 \$0	so the date of the osts) so so so so so so
Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment		į in \	estigation, to the	0.00 install destimate estimate 0.00 0.00 0.00 0.00 0.00 0.00	\$0 isinfection equipmed date of complian item (except for a \$0 \$0 \$0 \$0 \$0	nent, calculated from nice. one-time avoided c \$0 \$0 \$0 \$0 \$0	\$0 the date of the osts) \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0
Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2]		į in \	estigation, to the	0.00 install d estimate ontering 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	\$0 isinfection equipmed date of compliantitem (except for a \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	nent, calculated from nee. one-time avoided c \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	\$0 the date of the osts) \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0
Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2] ONE-TIME avoided costs [3]		į in \	estigation, to the	install d estimate 0.00 0.00 0.00 0.00 0.00 0.00	\$0 isinfection equipmed date of compliant term (except for \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	nent, calculated from nee. one-time avoided c \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	\$0 the date of the osts) \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0
Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2]		į in \	estigation, to the	0.00 install d estimate ontering 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	\$0 isinfection equipmed date of compliantitem (except for a \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	nent, calculated from nee. one-time avoided c \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	\$0 the date of the osts) \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0
Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2] ONE-TIME avoided costs [3]		į in \	estigation, to the	install d estimate 0.00 0.00 0.00 0.00 0.00 0.00	\$0 isinfection equipmed date of compliant term (except for \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	nent, calculated from nee. one-time avoided c \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	\$0 the date of the osts) \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0
Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2] ONE-TIME avoided costs [3]		į in \	estigation, to the	install d estimate 0.00 0.00 0.00 0.00 0.00 0.00	\$0 isinfection equipmed date of compliant term (except for \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	nent, calculated from nee. one-time avoided c \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	\$0 the date of the osts) \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0
Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2] ONE-TIME avoided costs [3] Other (as needed)		į in \	estigation, to the	install d estimate 0.00 0.00 0.00 0.00 0.00 0.00	\$0 isinfection equipmed date of compliant term (except for \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	nent, calculated from nee. one-time avoided c \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	\$0 the date of the osts) \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0
Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2] ONE-TIME avoided costs [3] Other (as needed)		į in \	estigation, to the	install d estimate 0.00 0.00 0.00 0.00 0.00 0.00	\$0 isinfection equipmed date of compliant term (except for \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	nent, calculated from nee. one-time avoided c \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	\$0 the date of the osts) \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0

	ate 29-Jan-2009		the state of the state of the state of	cket No. 2009-014		REW
	l ent Kara Leah Pe No. 37104	tty dba Countr	y Inn Victoria			y Revision 2 (September 2002) CM Revision October 20, 2008
Reg. Ent. Reference		, 1			P	CW Revision October 30, 2008
	ute] Public Water					
	ator Christopher K					
Violation Num						
Rule Cit	te(s)		30 Tex. Admin. C	ode § 290.39(m)		
						_
		•				
Violation Descrip	Failed to prov	ide written not	ification to the Co	nmission of the start	up of a new public wat	er
Violation Descrip	1001		supply s		•	
			•			
•						
					Base Penal	lty \$1,000
					30000000000000000000000000000000000000	
>> Environmental, Propert	y and Human H		×			
Rele	ease Major	Harm Moderate	Minor			
The state of the s	ctual					
Pote	ntial			Percent	0%	
				The state of the s		
>>Programmatic Matrix		Moderate	Minor			789
Falsificati	ion Major x	Moderate	Minor	Percent	10%	
<u> </u>		<u> </u>	الخند حسيسا	,	<u> </u>	
						1
Matrix Notes		100% of the	rule requirement	was not met.		• '
Notes						
		over the control of t				201
			019 89 84 AND M.	Adjustmen Adjustmen	t \$90	20]
						. \$100
make the commission of the com	and the Regions of the state of		· Assis - recognisación de la company de la contraction de la cont			TONY!
Violation Events						•
Number	of Violation Events	1 1		1 Number o	f violation days	
Number	or violation Events	<u> </u>	J		. Tioladon dayo	
	a. daily					
	weekly		·			
mark only o	monthly				Le la la Disconside	6100
with an x	, quarterly				Violation Base Penal	ty\$100
	semiannual annual					
•	single event	×				
	Manada Salkazili and Pakazi		I			
		One sing	gle event is recom	mended.		
Good Faith Efforts to Com	olv	0.0%	Reduction			\$0
CONTRACTOR OF THE CONTRACTOR O		Before NOV	NOV to EDPRP/Sett	ement Offer	va. v gadinini dan rajekti karata karata da kalamata ka	443
	Extraordinary				•	
	Ordinary					
	N/A	Х	(mark-with x)			
		The Respon	ndent does not me	et the good faith crite	eria for this	
	Notes			ation.		
				•	Violation Subtot	al \$100
prophygopythic giptophygigidasses opphysion structur och cololic Colors	KRASON SIGNATORA BILADARINA	s film of delich er bezoneiten erm		in and secretary statements and the second	and a second	- TOTAL SERVICE SERVIC
Economic Benefit (EB) for	this violation			Statuto	ry Limit Test	
Fetir	nated EB Amount		\$0	Violat	ion Final Penalty Tot	al \$100
L3III						
		in a dalika adalika adaga.	This violation F	nal Assessed Pena	Ity (adjusted for limit	
#####################################	NAMES AND DESCRIPTION OF THE PARTY OF THE PA	TO PERSONAL MARKET COMP		watery with the PMFA.		

이 사고를 가는 것도 없는 사람들은 사람들이 되었다. 그 그리다 살아나지 않는	Public Water S	upply				Percent Interest	Years of Depreciation
Violation No	. Z	jim yezhetako	17 WCE (450) 1881 TO L	23 , s. e. , e.		5.0	Depreciation 15
	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Onetime Costs	EB Amount
Item Description							
Delayed Costs		er (See C. M.	eye in a service of the service of t				
Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)	\$50	18-Nov-2008	18-Nov-2008	0.00	\$0	\$0	\$0
Engineering/construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	ili a e en/a de e	\$0
Record Keeping System				0.00	\$0	n/a +	\$0
Training/Sampling				0.00	\$0	i trin/asit i	\$0
				l 0.00 i	\$0	n/a	\$0
Remediation/Disposal	L					COMPONE ON EXPLICIT CONTROL OF THE PROPERTY OF	
Remediation/Disposal Permit Costs				0.00	\$0	n/au	\$0
Permit Costs Other (as needed)				0.00 0.00 to prepa	\$0 \$0 re and submit writ	n/a n/a n/a n/a n/a n/a notification to the	\$0 \$0 Commission
Permit Costs	concerning the	e startup of a new v	water system. The on which con	0.00 0.00 to prepared date on inpliance	\$0 \$0 re and submit writ which the investig was achieved. item (except for o	n/a n/a n/a n/a n/a n/a n/a n/a notification to the pation occurred was one-time avoided co	\$0 \$0 Commission the same date
Permit Costs Other (as needed) Notes for DELAYED costs	concerning the	e startup of a new v	water system. The on which con	0.00 0.00 to prepare date on opliance ntering 0.00	\$0 \$0 re and submit writ which the investig was achieved. item (except for a \$0	en notification to the pation occurred was one-time avoided co	\$0 \$0 Commission the same date
Permit Costs Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel	concerning the	e startup of a new v	water system. The on which con	0.00 0.00 to prepare date on oppliance ntering 0.00 0.00	\$0 \$0 re and submit writt which the investigness achieved. item (except for a \$0 \$0	ten notification to the pation occurred was one-time avoided co	\$0 \$0 Commission the same date
Permit Costs Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling	concerning the	e startup of a new v	water system. The on which con	to prepare date on oppliance of the oppl	\$0 \$0 re and submit writt which the investion was achieved. item (except for a \$0 \$0	ten notification to the gation occurred was one-time avoided co	\$0 \$0 Commission the same date
Permit Costs Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment	concerning the	e startup of a new v	water system. The on which con	0.00 0.00 to prepare date on appliance ntering 0.00 0.00 0.00	\$0 \$0 re and submit writt which the investion was achieved. item (except for a \$0 \$0 \$0	ten notification to the pation occurred was one-time avoided company of the second sec	\$0 \$0 Commission the same date
Permit Costs Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2]	concerning the	e startup of a new v	water system. The on which con	0.00 0.00 to prepare date on enpliance ntering 0.00 0.00 0.00	\$0 \$0 re and submit writt which the investion was achieved. item (except for a \$0 \$0 \$0 \$0 \$0	in/a n/a n/a n/a n/a ten notification to the pation occurred was one-time avoided co \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$	\$0 \$0 Commission the same date osts) \$0 \$0 \$0 \$0
Permit Costs Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2] ONE-TIME avoided costs [3]	concerning the	e startup of a new v	water system. The on which con	0.00 0.00 to prepare date on npliance ntering 0.00 0.00 0.00 0.00 0.00 0.00	\$0 \$0 re and submit writt which the investigned achieved. item (except for a solution solution) \$0 \$0 \$0 \$0 \$0 \$0 \$0	ten notification to the pation occurred was cone-time avoided cone	\$0 \$0 Commission the same date Osts) \$0 \$0 \$0 \$0 \$0
Permit Costs Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2]	concerning the	e startup of a new v	water system. The on which con	0.00 0.00 to prepare date on enpliance ntering 0.00 0.00 0.00	\$0 \$0 re and submit writt which the investion was achieved. item (except for a \$0 \$0 \$0 \$0 \$0	in/a n/a n/a n/a n/a ten notification to the pation occurred was one-time avoided co \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$	\$0 \$0 Commission the same date osts) \$0 \$0 \$0 \$0
Permit Costs Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2] ONE-TIME avoided costs [3]	concerning the	e startup of a new v	water system. The on which con	0.00 0.00 to prepare date on npliance ntering 0.00 0.00 0.00 0.00 0.00 0.00	\$0 \$0 re and submit writt which the investigned achieved. item (except for a solution solutio	ten notification to the pation occurred was cone-time avoided cone	\$0 \$0 Commission the same date Osts) \$0 \$0 \$0 \$0 \$0
Permit Costs Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2] ONE-TIME avoided costs [3] Other (as needed)	concerning the	e startup of a new v	water system. The on which con	0.00 0.00 to prepare date on npliance ntering 0.00 0.00 0.00 0.00 0.00 0.00	\$0 \$0 re and submit writt which the investigned achieved. item (except for a solution solutio	ten notification to the pation occurred was cone-time avoided cone	\$0 \$0 Commission the same date Osts) \$0 \$0 \$0 \$0 \$0
Permit Costs Other (as needed) Notes for DELAYED costs Avoided Costs Disposal Personnel Inspection/Reporting/Sampling Supplies/equipment Financial Assurance [2] ONE-TIME avoided costs [3]	concerning the	e startup of a new v	water system. The on which con	0.00 0.00 to prepare date on npliance ntering 0.00 0.00 0.00 0.00 0.00 0.00	\$0 \$0 re and submit writt which the investigned achieved. item (except for a solution solutio	ten notification to the pation occurred was cone-time avoided cone	\$0 \$0 Commission the same date Osts) \$0 \$0 \$0 \$0 \$0

Compliance History Report

Customer/Respondent/Owner-Operator: CN603430208

Kara Leah Petty

Classification:

Rating:

Regulated Entity:

RN105660211

Country Inn Victoria

Classification:

Site Rating:

ID Number(s):

Public Water Supply

Registration

2350062

Location:

9286 State Highway 185 South Victoria County, Texas

TCEQ Region: Region 14 - Corpus Christi

Date Compliance History Prepared:

February 03, 2009

Agency Decision Requiring Compliance History: Enforcement

Compliance Period:

February 02, 2004 to February 02, 2009

TCEQ Staff Member to Contact for Additional Information Regarding this Compliance History

Name:

Christopher Keffer

Phone:

(512) 239-5610

Site Compliance History Components

1. Has the site been in existence and/or operation for the full five year compliance period?

2. Has there been a (known) change in ownership of the site during the compliance

No

3. If Yes, who is the current owner?

N/A N/A

4. if Yes, who was/were the prior owner(s)?

5. When did the change(s) in ownership occur?

N/A

6.

Components (Multimedia) for the Site:

Final Enforcement Orders, court judgements, and consent decrees of the state of Texas and the federal government. A.

N/A

- Any criminal convictions of the state of Texas and the federal government. B.
- C. Chronic excessive emissions events.
- The approval dates of investigations. (CCEDS Inv. Track. No.) D.
 - 11/18/2008

(709574)

Written notices of violations (NOV). (CCEDS Inv. Track. No.) E.

N/A

- F. Environmental audits.
- Type of environmental management systems (EMSs). G.
- H. Voluntary on-site compliance assessment dates.
- Participation in a voluntary pollution reduction program. 1.
- Early compliance. J.

Sites Outside of Texas

N/A

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN	§	BEFORE THE
ENFORCEMENT ACTION	§	
CONCERNING	§	TEXAS COMMISSION ON
KARA LEAH PETTY DBA	§	
COUNTRY INN VICTORIA;	§	ENVIRONMENTAL QUALITY
RN105660211	§	

DEFAULT ORDER DOCKET NO. 2009-0148-PWS-E

At its	agenda, the Texas Commission on Environmental Quality,
("Commission" or "TCEQ")	considered the Executive Director's Preliminary Report and Petition
filed pursuant to TEX. HEALT	H & SAFETY CODE ch. 341 and the rules of the TCEQ, which requests
appropriate relief, including t	he imposition of an administrative penalty and corrective action of the
respondent. The respondent	made the subject of this Order is Kara Leah Petty dba Country Inn
Victoria ("Ms. Petty").	

The Commission makes the following Findings of Fact and Conclusions of Law:

FINDINGS OF FACT

- 1. Ms. Petty owns and operates a public water supply at 9286 State Highway 185 South in Victoria County, Texas (the "Facility").
- 2. The Facility provides water for human consumption, has one service connection, and serves at least 25 people per day for at least 60 days per year. As such, the Facility is a public water supply system as defined in 30 Tex. Admin. Code § 290.38(63).
- 3. During an investigation conducted on November 18, 2008, a TCEQ Corpus Christi Regional Office investigator documented that Ms. Petty:
 - a. Failed to provide disinfection facilities for groundwater supplies for the purpose of microbiological control and distribution protection. Specifically, there was no disinfection equipment provided for the well; and

- b. Failed to provide written notification to the Commission of the startup of a new public water supply system. Specifically, on the date of the investigation the system was in operation, yet Ms. Petty had not submitted written notification of the startup.
- 4. Ms. Petty received notice of the violations on or about December 24, 2008.
- 5. The Executive Director recognizes that Ms. Petty provided written notification of the Facility's startup during the investigation on November 18, 2008.
- 6. The Executive Director filed the "Executive Director's Preliminary Report and Petition Recommending that the Texas Commission on Environmental Quality Enter an Enforcement Order Assessing an Administrative Penalty Against and Requiring Certain Actions of Kara Leah Petty dba Country Inn Victoria" (the "EDPRP") in the TCEQ Chief Clerk's office on May 21, 2009.
- 7. By letter dated May 21, 2009, sent via certified mail, return receipt requested, and via first class mail, postage prepaid, the Executive Director served Ms. Petty with notice of the EDPRP. According to the return receipt "green card", Ms. Petty received notice of the EDPRP on May 22, 2009, as evidenced by the signature on the card.
- 8. More than 20 days have elapsed since Ms. Petty received notice of the EDPRP, provided by the Executive Director. Ms. Petty failed to file an answer to the EDPRP, failed to request a hearing, and failed to schedule a settlement conference.

CONCLUSIONS OF LAW

- 1. As evidenced by Finding of Fact Nos. 1 and 2, Ms. Petty is subject to the jurisdiction of the TCEQ pursuant to Tex. Health & Safety Code ch. 341 and the rules of the Commission.
- 2. As evidenced by Finding of Fact No. 3.a., Ms. Petty failed to provide disinfection facilities for microbiological control and distribution protection, in violation of 30 Tex. ADMIN. CODE § 290.42(b)(1).
- 3. As evidenced by Finding of Fact No. 3.b., Ms. Petty failed to provide written notification to the Commission of the startup of a new public water supply system, in violation of 30 Tex. ADMIN. CODE § 290.39(m).
- 4. As evidenced by Finding of Fact Nos. 6 and 7, the Executive Director timely served Ms. Petty with proper notice of the EDPRP, as required by Tex. WATER CODE § 7.055 and 30 Tex. Admin. Code § 70.104(a).

- As evidenced by Finding of Fact No. 8, Ms. Petty has failed to file a timely answer to the EDPRP, as required by Tex. Health & Safety Code § 341.049 and 30 Tex. Admin. Code § 70.105. Pursuant to Tex. Health & Safety Code § 341.049 and 30 Tex. Admin. Code § 70.106, the Commission may enter a Default Order against Ms. Petty and assess the penalty recommended by the Executive Director.
- 6. Pursuant to Tex. Health & Safety Code § 341.049, the Commission has the authority to assess an administrative penalty against Ms. Petty for violations of the Texas Health & Safety Code within the Commission's jurisdiction, for violations of rules adopted under such statutes, or for violations of orders or permits issued under such statutes.
- 7. An administrative penalty in the amount of eight hundred fifty dollars (\$850.00) is justified by the facts recited in this Order, and considered in light of the factors set forth in Tex. Health & Safety Code § 341.049.
- 8. Tex. Water Code §§ 5.102 and 7.002 authorize the Commission to issue orders and make determinations necessary to effectuate the purposes of the statutes within its jurisdiction.

ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. Ms. Petty is assessed an administrative penalty in the amount of eight hundred fifty dollars (\$850.00) for violations of state statutes and TCEQ rules. The payment of this administrative penalty and Ms. Petty's compliance with all the terms and conditions set forth in this Order completely resolve the matters set forth by this Order in this action. The Commission shall not be constrained in any manner from requiring corrective actions or penalties for other violations which are not raised here. All checks submitted to pay the penalty imposed by this Order shall be made out to the "Texas Commission on Environmental Quality." The administrative penalty assessed by this Order shall be paid within 30 days after the effective date of this Order and shall be sent with the notation "Re: Kara Leah Petty dba Country Inn Victoria; Docket No. 2009-0148-PWS-E" to:

Financial Administration Division, Revenues Section Attention: Cashier's Office, MC 214 Texas Commission on Environmental Quality P.O. Box 13088 Austin, Texas 78711-3088

- 2. Ms. Petty shall undertake the following technical requirements:
 - a. Within 30 days after the effective date of this Order, Ms. Petty shall install disinfection equipment so that continuous and effective disinfection and microbiological control is provided at the Facility under all conditions, in accordance 30 Tex. Admin. Code § 290.42; and
 - b. Within 45 days after the effective date of this Order, Ms. Petty shall submit written certification as described below, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision No. 2.a. The certification shall be notarized by a State of Texas Notary Public and include the following certification language:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

The certification shall be submitted to:

Order Compliance Team
Enforcement Division, MC 149A
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

with a copy to:

Water Section Manager Corpus Christi Regional Office Texas Commission on Environmental Quality 6300 Ocean Drive, Suite 1200 Corpus Christi, Texas 78412-5503

- 3. All relief not expressly granted in this Order is denied.
- 4. The provisions of this Order shall apply to and be binding upon Ms. Petty. Ms. Petty is ordered to give notice of this Order to personnel who maintain day-to-day control over the Facility operations referenced in this Order.
- 5. The Executive Director may grant an extension of any deadline in this Order or in any plan, report, or other document submitted pursuant to this Order, upon a written and substantiated showing of good cause. All requests for extensions by Ms. Petty shall be made in writing to the Executive Director. Extensions are not effective until Ms. Petty receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director.
- 6. The Executive Director may refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings without notice to Ms. Petty if the Executive Director determines that Ms. Petty has not complied with one or more of the terms or conditions in this Order.
- 7. This Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Order, whichever is later.
- 8. The Chief Clerk shall provide a copy of this Order to each of the parties. By law, the effective date of this Order shall be the date this Order is final, as provided by 30 Tex. ADMIN. CODE § 70.106(d) and Tex. Gov't Code § 2001.144.

Kara Leah Petty dba Country Inn Victoria DOCKET NO. 2009-0148-PWS-E Page 6

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission

AFFIDAVIT OF LAURENCIA N. FASOYIRO

STATE OF TEXAS

COUNTY OF HARRIS

"My name is Laurencia N. Fasoyiro. I am of sound mind, capable of making this affidavit, and the facts stated in this affidavit are within my personal knowledge and are true and correct.

On behalf of the Executive Director of the Texas Commission on Environmental Quality, I filed the "Executive Director's Preliminary Report and Petition Recommending that the Texas Commission on Environmental Quality Enter an Enforcement Order Assessing an Administrative Penalty Against and Requiring Certain Actions of Kara Leah Petty dba Country Inn Victoria" (the "EDPRP") was filed with the Office of the Chief Clerk on May 21, 2009.

I sent the EDPRP to Ms. Petty at her last known address on May 21, 2009 via certified mail. return receipt requested, and via first class mail, postage prepaid. According to the return receipt "green card", Ms. Petty received notice of the EDPRP on May 22, 2009, as evidenced by the signature on the card.

More than 20 days have elapsed since Ms. Petty received notice of the EDPRP. Ms. Petty failed to file an answer to the EDPRP, failed to request a hearing, and failed to schedule a settlement conference".

Laurencia N. Fasoviro

Attorney

Texas Commission on Environmental Quality

Before me, the undersigned authority, on this day personally appeared Laurencia N. Fasoyiro, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that she executed the same for the purposes and consideration herein expressed.

Given under my hand and seal of office this <u>O5</u> day of <u>August</u>, A.D., 2009.

Mayor <u>Amn Lemovne</u>
Notary Signature

Notary Stamp

NARA ANN LEMOINE Notary Public, State of Texas My Commission Expires **JANUARY 15, 2013**